### GHS SAFETY DATA SHEET (SDS)

### Product: AEROPOXY PH3665 SECTION 1 — PRODUCT AND COMPANY IDENTIFICATION

PTM & WINDUSTRIES, INC.

PHONE NUMBER: (562) 946-4511

SANTA FE SPRINGS, CA. 90670-4092 10640 S. PAINTER AVE. CHEMICAL TRANSPORTATION EMERGENCY: CHEMTREC (800) 424-9300

DATE OF PREPARATION: 06/01/2023 SUPERSEDES: 01/01/2019

Product Type: Modified Amine Mixture

Product Use: Industrial Curing Agent supplied exclusively for workplace use.

### SECTION 2 — HAZARD(S) IDENTIFICATION

Signal Word: Danger

Hazard Label(s):

Corrosive

Irritant



#### Hazard statement(s):

H318: Causes serious eye damage. (Eye Dam. 1)

H302: Harmful if swallowed. (Acute Tox. 4 Oral)

H332: Harmful if inhaled. (Acute Tox. 4 Inhalation)

H317: May cause an allergic skin reaction. (Skin Sens.

#### Precautionary statement(s):

P202: Do not handle until all safety precautions have been read and understood

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P270: Do not eat, drink or smoke when using this product

P281: Use personal protective equipment as required

P285: In case of inadequate ventilation wear respiratory protection

P273: Avoid release to the environment

Š CANCER

REPRO-TOX TARGET ORGANS

**ACGIMITLY** 

U

2

8

OSHA/PEL

N.A.mg/M<sup>3</sup> N.A.mg/M<sup>3</sup>

1-00162

# SECTION 3 — COMPOSITION / INFORMATION ON INGREDIENTS

UNDER GHS-OSHA §4.11 THE PRECISE COMPOSITION OF THIS PRODUCT IS WITHHELD AS CONFIDENTIAL BUSINESS INFORMATION (CBI). A MORE COMPLETE DISCLOSURE CAN BE PROVIDED TO A HEALTH, OR SAFETY PROFESSIONAL WHEN NECESSARY.

Substance/Mixture: Mixture

NO. COMPONENT

ט

MODIFIED AMINE MIXTURE

CAS. NO.

PERCENT

Z >

< 100%

### SECTION 4 — FIRST-AID MEASURES

**EMERGENCY AND FIRST AID PROCEDURES:** 

- MINUTES. GET MEDICAL ATTENTION EYES: IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR 15
- SKIN: WASH AFFECTED AREA IMMEDIATELY WITH LARGE AMOUNTS OF SOAP AND WATER. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE. CONTACT A PHYSICIAN IF IRRITATION OCCURS.
- DIFFICULT. GET MEDICAL ATTENTION. INHALATION: REMOVE VICTIM TO FRESH AIR AND PROVIDE OXYGEN IF BREATHING IS
- PHYSICIAN IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS INGESTION: DO NOT INDUCE VOMITING. GIVE LARGE QUANITIES OF WATER. CALL A

### SECTION 5 — FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: WATER FOG, DRY CHEMICAL, CÀRBON DIOXIDE, OR FOAM. NOTE: EITHER ATMOSPHERE-SUPPLY OR AIR-PURIFYING RESPIRATORS SHOULD BE FLAMMABILITY CLASSIFICATION: COMBUSTIBLE CLASS (IIIB) FLASH POINT: ≥ 200°F (FOR PRODUCT OR LOWEST FLASH POINT INGREDIENT) AVAILABLE FOR FIRE FIGHTERS (20 CFR 1910.134)

# SECTION 6 — ACCIDENTAL RELEASE MEASURES

- PROPER PROTECTIVE EQUIPMENT (SEE BELOW) SHOULD BE EXCLUDED FROM THE AREA UNTIL CLEAN UP IS COMPLETE. DIKE AREA TO PREVENT SPILL SPREADING AND SCOOP UP EXCESS TO RECOVERY CONTAINERS. ABSORB REMNANT ON NONCOMBUSTIBLE MATERIAL SUCH AS CLAY AND SHOVEL INTO CONTAINERS FOR IF MATERIAL IS SPILLED: AVOID CONTACT WITH MATERIAL. PERSONS NOT WEARING DISPOSAL
- WASTE DISPOSAL METHOD: DISPOSE OF ANY WASTE(S) GENERATED ABOVE IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS.

#### SECTION 7 — HANDLING AND STORAGE

- AVOID SKIN AND EYE CONTACT.
- AVOID BREATHING VAPOR, MIST OR FUMES
- INGESTION OR IMPROPER DISPOSAL ENSURE THAT ALL CONTAINERS ARE PROPERLY LABELED TO PREVENT ACCIDENTAL
- RESEAL PARTLY USED CONTAINERS.
- FACILITIES. WASH WITH SOAP AND WATER BEFORE EATING, DRINKING OR USING TOILET
- STORE UNDER COOL, DRY CONDITIONS AND AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES
- OBSERVE CONDITIONS OF GOOD INDUSTRIAL HYGIENE AND SAFE WORKING

# SECTION 8 — EXPOSURE CONTROLS/ PERSONAL PROTECTION

- SMOKE, IN WHICH CASE NIOSH APPROVED RESPIRATORY PROTECTION SHOULD BE RESPIRATORY PROTECTION: NOT NORMALLY NECESSARY UNLESS THE MATERIAL IS BEING USED IN SUCH A WAY AS TO PRODUCE DUST, MIST, VAPOR, FUMES, OR
- MUST BE AVOIDED. VENTILATION: SHOULD BE SUFFICIENT TO CONTROL ANY DUST, MIST, VAPOR OR FUMES PRODUCED BY PROCESSING OR HANDLING METHOD. BREATHING OF VAPOR
- HAND PROTECTION: IMPERVIOUS GLOVES, NEOPRENE OR NILRILE RUBBER GLOVES
- SHIELDS EYE PROTECTION: SPLASH PROOF GOGGLES OR SAFETY GLASSES WITH SIDE
- OTHER PROTECTIVE EQUIPMENT: CLEAN, BODY COVERING CLOTHING AND

# SECTION 9 —PHYSICAL AND CHEMICAL PROPERTIES

0	9	9	0	٥	0	0	
VAPOR PRESSURE	DENSITY	SP. GR	<b>진</b>	COLOR	ODOR	PHYSICAL STATE:	
NEGLIGIBLE	7.8 lbs. / gal.	0.94	ALKALINE	AMBER	AMMONIA LIKE	LIQUID	

NOTE: OTHER PROPERTIES ARE EITHER NOT AVAILABLE, OR DO NOT APPLY

# SECTION 10 — STABILITY AND REACTIVITY

- STABILITY: STABLE UNDER NORMAL STORAGE CONDITIONS. UNSTABLE AT ELEVATED TEMPERATURES. SLOWLY CORRODES COPPER, ALUMINUM, ZINC AND GALVANIZED SURFACES.
- INCOMPATIBILITY: STRONG OXIDIZING AGENTS, ORGANIC, LEWIS, OR MINERAL ACIDS, NITROUS ACID, SODIUM HYPOCHLORITE, AND PEROXIDES.
- NITRIC ACID, NITROSOAMINE, AND OTHER UNKNOWN ORGANIC COMPOUNDS HAZARDOUS DECOMPOSITION PRODUCTS: OXIDES OF CARBON AND NITROGEN,

# SECTION 11 — TOXICOLOGICAL INFORMATION

EFFECTS OF OVEREXPOSURE:

- EYES: CAUSES SEVERE CONJUNCTIVAL IRRITATION, CORNEAL INJURY AND IRITIS.
- SKIN: MAY CAUSE IRRITATION, BURNS, ULCERATION, OR SKIN SENSITIZATION
- AND THROAT, COUGHING, WHEEZING, NAUSEA, AND VOMITING. INHALATION: VAPORS ARE IRRITATING AND MAY CAUSE TEARS, BURNING OF NOSE
- ABDOMINAL PAIN, NAUSEA, VOMITING, WEAKNESS, THIRST, AND COMA INGESTION: MODERATELY TOXIC, MAY CAUSE MOUTH AND THROAT BURNS
- CHRONIC
- AMINE VAPORS MAY CAUSE LIVER & KIDNEY INJURY. EYE, SKIN OR LUNG DISORDERS MAY DEVELOP OR BE AGGRAVATED BY AMINES.

### SECTION 12 — ECOLOGICAL INFORMATION

- AQUATIC TOXICITY: NO DATA IS AVAILABLE ON THE PRODUCT ITSELF
- TOXICITY TO OTHER ORGANISMS: NO DATA AVAILABLE

PERSISTANCE AND DEGRADABILITY

- **MOBILITY: NO DATA IS AVAILABLE ON THE PRODUCT ITSELF**
- **BIOACCUMULATION: NO DATA IS AVAILABLE ON THE PRODUCT ITSELF**

# SECTION 13 — DISPOSAL CONSIDERATIONS

- FEDERAL, STATE, AND LOCAL REGULATIONS. WASTE DISPOSAL METHOD: DISPOSE OF WASTE IN ACCORDANCE WITH ALL
- CONTAINER DISPOSAL: SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE. FEDERAL, STATE. AND LOCAL AUTHORITIES FOR DEFINITIONS OF "EMPTY" AND PROPER DISPOSAL PRACTICES. ALL LABELED HAZARD PRECAUTIONS MUST BE OBSERVED. CONSULT WITH

#### SECTION 14 — TRANSPORT INFORMATION

σ	HAZARD CLASS
MODIFIED AMINE MIXTURE	CONTAINS
CORROSIVE LIQUID, N.O.S.	PROPER SHIPPING NAME:
UN 1760	UN NUMBER
<ul> <li>U.S. Department of Transportation Ground (49 CFR)</li> </ul>	<ul> <li>U.S. Department of Trail</li> </ul>

## International Air Transportation (ICAO/IATA)

PACKAGING GROUP

=

PACKAGING GROUP	HAZARD CLASS	CONTAINS	PROPER SHIPPING NAME:	UN NUMBER
Ξ	8	MODIFIED AMINE MIXTURE	CORROSIVE LIQUID, N.O.S.	UN 1760

### Water Transportation (IMO/IMDG)

MARINE POLLUTANT	PACKAGING GROUP	HAZARD CLASS	CONTAINS	PROPER SHIPPING NAME:	UN NUMBER UN 1760
NO		00	MODIFIED AMINE MIXTURE	CORROSIVE LIQUID, N.O.S.	UN 1760

# SECTION 15 — REGULATORY INFORMATION

A. CAL SAFE DRINKING WATER & TOXIC ENFORCEMENT ACT OF 1986 (GO TO WWW.P65WARNINGS.CA.GOV FOR THE COMPLETE LIST OF PROP.65 CHEMICALS.) CHEMICAL NAME

CAS. NO. CANCER/REPRO.TOX MITINAUD

THIS PRODUCT MAY CONTAIN TRACES OF PROP. 65 LISTED CHEMICALS AS IMPURITIES. HOWEVER, ANY USED AS INGREDIENTS ARE LISTED ABOVE.

#### CERCLA — §40 CFR 302.4

NATIONAL RESPONSE CENTER. (800)424-8802 RELEASES EXCEEDING THE REPORTABLE QUANTITY (RQ) MUST BE REPORTED TO THE

RQ = 100 lbs. (UNLISTED HAZARDOUS WASTE -- CHARACTERISTIC OF CORROSIVITY)

#### RCRA — §40 CFR 261.33

RQ = 1000 lbs. (UNLISTED CORROSIVE CONTENT > 10%)

ס	Š	D
NONE	NO. RQ (lbs.)	SARA TITLE I
NOT LISTED	TPQ (lbs.)	D. SARA TITLE III — §52 CFR 13378, §52 CFR 21152
NOT LISTED	SEC.313	8, §52 CFR 21152
NONE	313 CAT.	10 miles
H1, H2	311/312	

- 2 = THRESHOLD PLANNING QUANTITY, EXTREMELY HAZARDOUS SUBSTANCE, SEC. 302  $^\circ$ 1 = REPORTABLE QUANTITY OF EXTREMELY HAZARDOUS SUBSTANCE, SEC. 302
- \*3 = TOXIC CHEMICAL, SEC. 313 (INDIVIDUAL CHEMICAL LISTED)
   \*4 = TOXIC RELEASE INVENTORY FORM CATEGORY SEC. 313 (40 CFR 372.65 C)
- \*5 = HAZARD CATEGORY FOR SARA SEC. 311/312 REPORTING

H1 = IMMED. (ACUTE) HEALTH HAZARD H2 = DELAYED (CHRONIC) HEALTH HAZARD P3 = FIRE HAZARD P4 = SUDDEN PRESSURE RELEASE HAZARD P5 = REACTIVE HAZ

### 

	Z O	ļг <
Z	NO. CHEMICAL	VOC — SCAQMU RULES
	QUANTITY	
•	VP mm Hg	
(	gms./l. @ 20°C	

WHEN 2 PART RESINS AND HARDENERS ARE PROPERLY MIXED TOGETHER NOTE: THIS PRODUCT DOES NOT CONTAIN SOLVENTS, BUT MAY CONTAIN INGREDIENTS WITH VP'S LOW ENOUGH TO BE EMITTED IF HEATED ALONE. SIGNIFICANT ATMOSPHERIC EMISSIONS THESE INGREDIENTS REACT TOGETHER AND ARE CONSUMED WITHOUT

#### Π INTERNATIONAL CHEMICAL INVENTORY STATUS:

	Tiphod Typenshod Dollamor or both and on the policy of the state of th
AICS-AUSTRALIA	All components are listed or exempted.
ENCS-JAPAN	All components are listed or exempted.
ISHL-JAPAN	All components are listed or exempted.
KECI/ECL-KOREA	All components are listed or exempted.
IECSC/SEPA-CHINA	All components are listed or exempted.
PICCS-PHILIPPINES	All components are listed or exempted.
DSL-CANADA	All components are listed or exempted.
TSCA-USA	All components are listed or exempted.

AP PH3665 SDS #1785

Page 5

#### Ģ WHMIS (CANADA):

- WHMIS: D2B Materials Causing Other Toxic Effects - Toxic Material
- Ш — Corrosive Material

### SECTION 16 - OTHER INFORMATION

#### HEALTH.... HMIS III CODES: 3 0 = MINIMALRATINGS: 3 = SERIOUS

PERSONAL PROTECTION RATING TO BE SUPPLIED BY USER DEPENDING ON REACTIVITY .....= 0 FLAMMABILITY .....= 1 2 = MODERATE 1 = SLIGHT 4 = SEVERE

 $\downarrow \downarrow$ 

CONDITIONS OF USE.

DATE OF PREPARATION: 06/01/2023 SUPERSEDES: 01/01/2019

obligation to determine the conditions of safe use of the product. Safety Data Sheet. Since the use of this information and these opinions and the conditions of use of this product are not within the control of PTM & W, it is the user's We believe that the information contained herein is correct as of the date of this

and regulations governing chemical products and as it is beyond the scope of this SDS to determine which of these apply, it is the responsibility of the user to determine described herein. Further, there are many international, federal, state, and local laws data. PTM & W assumes no responsibility for injury from the use of the product how these affect their use of the product PTM & W makes no warranty, expressed or implied regarding the accuracy of these

obtained, all such being given and accepted at users' risk Alteration of this document is strictly prohibited PTM&W assumes no obligation or liability for the information given, or results

#### **END OF SDS**

Copyright 2023 PTM&W Industries, All rights reserved